

2005–2015 Publications

Iyer, S.N., Jordan, G., MacDonald, K., Joober, R., & Malla, A. (2015). Early intervention for psychosis: A Canadian perspective. *Journal of Nervous and Mental Disease*. 203(5):356–364. <https://doi.org/10.1097/NMD.0000000000000288>

Iyer, S.N., Boksa, P., Lal, S., Shah, J., Marandola, G., Jordan, G., Doyle, M., Joober, R., & Malla, A.K. (2015). Transforming youth mental health: A Canadian perspective. *Irish Journal of Psychological Medicine (Special Focus on Youth Mental Health: International Perspectives)*. 32(1):51–60. <https://doi.org/10.1017/ipm.2014.89>*

Benoit, A., Malla, A.K., **Iyer, S.N.**, Joober, R., Bherer, L., & Lepage, M. (2015). Cognitive deficits characterization using the CogState Research Battery in first-episode psychosis patients. *Schizophrenia: Cognition*. 2(3), 140–145. <https://doi.org/10.1016/j.scog.2015.03.006>

Rho, A., Traicu, A., Lepage, M., **Iyer, S.N.**, Malla, A., & Joober, R. (2015). Clinical and functional implications of a history of childhood ADHD in first-episode psychosis. *Schizophrenia Research*. 165(2–3), 128–33. <https://doi.org/10.1016/j.schres.2015.03.031>

Levy, E., Traicu, A., **Iyer, S.N.**, Malla, A., & Joober, R. (2015). Psychotic disorders comorbid with Attention-deficit hyperactivity disorder: An important knowledge gap. *The Canadian Journal of Psychiatry*. 60(3 Suppl 2), S48–52. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4418622/>

Lutgens, D., **Iyer, S.N.**, Joober, R., Brown, T. G., Norman, R., Latimer, E., Schmitz, N., Abdel Baki, A., Abadi, S., & Malla, A. (2015). A five-year randomized parallel and blinded clinical trial of an extended specialized early intervention vs. regular care in the early phase of psychotic disorders: study protocol. *BMC Psychiatry*. 15(22). <https://doi.org/10.1186/s12888-015-0404-2>

Pruessner, M., Faridi, K., Shah, J., Rabinovitch, M., **Iyer, S.N.**, Abadi, S., Pawliuk, N., Joober, R., & Malla, A.K. (2015). The Clinic for Assessment of Youth at Risk (CAYR): 10 years of service delivery and research targeting the prevention of psychosis in Montreal, Canada. *Early Intervention in Psychiatry*. 11(2), 177–184. <https://doi.org/10.1111/eip.12300>

Iyer, S.N. & Malla, A.K. (2014). [Early Intervention in Psychosis: Concepts, Current Knowledge and Future Directions]. *Santé Mentale au Québec*. 39(2), 201-229. <http://id.erudit.org/iderudit/1027840ar> (Article in French)

Jordan, G., Lutgens, D., Joober, R., Lepage, M., **Iyer, S.N.**, & Malla, A. (2014). The relative contribution of cognition and symptomatic remission to functional outcome following treatment of a first episode psychosis. *Journal of Clinical Psychiatry*. 75(6), e566-72. <https://doi.org/10.4088/JCP.13m08606>

Lutgens, D., Malla, A., Joober, R., & **Iyer, S.N.** (2014). The Impact of Caregiver Familiarity with Mental Disorders on Timing of Intervention in First Episode Psychosis. *Early Intervention in Psychiatry*. 9(5), 388-96. <https://doi.org/10.1111/eip.12121>

Jordan, G., Pope, M., Wallis, P. & **Iyer, S. N.** (2014). The Relationship between Openness to Experience and Willingness to Engage in Online Political Participation is influenced by news consumption. *Social Science and Computer Review*. 33(2), 181-197. <https://doi.org/10.1177/0894439314534590> ^

Cassidy, C., Buchy, L., Bodnar, M., Dell'elce, J., Choudhry, Z., Fathalli, F., Sengupta, S.M., Fox, F., Malla, A., Lepage, M., **Iyer, S.N.**, & Joober, R. (2014). Association of a risk allele of ANK3 with cognitive performance and cortical thickness in patients with first-episode psychosis. *Journal of Psychiatry and Neuroscience*. 39(1), 31-39. <https://www.ncbi.nlm.nih.gov/pubmed/24016415>

Lutgens, D., Lepage, M., **Iyer S.N.**, & Malla A (2013). Predictors of Cognition in First Episode Psychosis. *Schizophrenia Research*. 152(1), 164-169. <https://doi.org/10.1016/j.schres.2013.10.044>

Albanna, A., Choudhry, Z., Harvey, P.O., Fathalli, F., Cassidy, C., Sengupta, S.M., **Iyer, S.N.**, Rho, A., Lepage, M., Malla, A., & Joober, R. (2013). TCF4 gene polymorphism and cognitive performance in patients with first episode psychosis. *Schizophrenia Research*. 152(1), 124-129. <https://doi.org/10.1016/j.schres.2013.10.038>

Iyer, S.N., Banks, N., Roy, M. A., Tibbo, P., Williams, R., Manchanda, R., Chue, P., & Malla, A. (2013). A qualitative study of experiences with and perceptions regarding long-acting injectable antipsychotics: Part I—Patient perspectives. *The Canadian Journal of Psychiatry*. 58(5 Suppl 1), 14 S-22S <https://doi.org/10.1177/088740341305805s03>

Iyer, S.N., Banks, N., Roy, M.A., Tibbo, P., Williams, R., Manchanda, R., Chue, P., & Malla, A. (2013). A qualitative study of experiences with and perceptions regarding long-acting injectable antipsychotics: Part II—Physician perspectives. *The Canadian Journal of Psychiatry*. 58(5 Suppl 1), 23 S–29S
<https://doi.org/10.1177/088740341305805s04>

Manchanda, R., Chue, P., Malla, A., Tibbo, P., Roy, M.A., Williams, R., **Iyer, S.N.**, Lutgens, D., & Banks, N. (2013). Long-Acting Injectable Antipsychotics: Evidence of Effectiveness and Use. *Canadian Journal of Psychiatry*. 58(5 Suppl 1), 5 S–13S
<https://doi.org/10.1177/088740341305805s02>

Malla, A., Tibbo, P., Chue, P., Levy, E., Manchanda, R., Teehan, M., Williams, R., **Iyer, S.N.**, & Roy, M.A. (2013). Long-acting injectable antipsychotics: Recommendations for clinicians. *The Canadian Journal of Psychiatry*. 58(5 Suppl 1), 30 S–35S
<https://doi.org/10.1177/088740341305805s05>

Pruessner, M., Bécharde–Evans, L., Boekestyn, L., **Iyer, S.N.**, Pruessner, J.C., & Malla, A.K. (2013). Attenuated cortisol response to acute psychosocial stress in individuals at ultra-high risk for psychosis. *Schizophrenia Research*. 146(1–3), 79–86.
<https://doi.org/10.1016/j.schres.2013.02.019>

Iyer, S.N., Ramamurti, M., Jeyagurunathan, A., Rangaswamy, T., & Malla, A.K. (2011). An examination of patient-identified goals for treatment in a first-episode programme in Chennai, India. *Early Intervention in Psychiatry*. 5(4), 360–365.
<https://doi.org/10.1111/j.1751-7893.2011.00289.x>

Iyer, S.N., Loohuis, H., Pawliuk, N., Joober, R., & Malla, A.K. (2011). Concerns reported by family members of individuals with first-episode psychosis. *Early Intervention in Psychiatry*. 5(2), 163–167. <https://doi.org/10.1111/j.1751-7893.2011.00265.x>

Pruessner, M., **Iyer, S.N.**, Faridi, K., Joober, R., & Malla, A.K. (2011). Stress and protective factors in individuals at ultra-high risk for psychosis, first-episode psychosis and healthy controls. *Schizophrenia Research*. 129(1), 29–35.
<https://doi.org/10.1016/j.schres.2011.03.022>

Iyer, S.N., Ramamurti, M., Rangaswamy, T., & Malla, A.K. (2010). Preliminary findings from a study of first-episode psychosis in Montreal, Canada and Chennai, India: Comparison of outcomes. *Schizophrenia Research*. 121(1-3), 227-233.
<https://doi.org/10.1016/j.schres.2010.05.032>

Vracotas, N., **Iyer, S.N.**, Joober, R., & Malla, A. (2010). The role of self-esteem for outcome in first-episode psychosis. *International Journal of Social Psychiatry*. 58(1), 41-46. <https://doi.org/10.1177/0020764010382698>

Bécharde-Evans, L., **Iyer, S.**, Lepage, M., Joober, R., & Malla, A. (2009). Investigating cognitive deficits and symptomatology across pre-morbid adjustment patterns in first-episode psychosis. *Psychological Medicine*, 40(5), 749-759.
<https://doi.org/10.1017/S0033291709991097>

Iyer, S.N., Boekestyn, L., Cassidy, C.M., King, S., Joober, R., & Malla, A.K. (2008). Signs and symptoms in the pre-psychotic phase: Description and implications for diagnostic trajectories. *Psychological Medicine*. 38(8), 1147-1156.
<https://doi.org/10.1017/S0033291708003152>

Iyer, S. N. (2007). Expanding the boundaries of psychology: International students in psychology graduate programs. *International Psychology Bulletin*. 11(4), 7-11.
https://www.div52.net/images/PDF/D52-IPB/IPB_2007-11-4-FALL.pdf

Combs, D.R., Penn, D.L., Spaulding, W.D., Adams, S.D., Roberts, D.L., & **Iyer, S.N.** (2006). Graduate training in cognitive-behavioral therapy for psychosis: The approaches of three generations of clinical researchers. *The Behaviour Therapist*. 29(1), 12-16.
<http://www.abct.org/docs/PastIssue/29n1.pdf> Senior author

Iyer, S.N., Rothmann, T.L., Vogler, J.E., & Spaulding, W.D. (2005). Evaluating outcomes of rehabilitation for severe mental illness. *Rehabilitation Psychology*. 50(1), 43-55.
<http://dx.doi.org/10.1037/0090-5550.50.1.43>